


April 2018

List of Publications by Gertrud K. Nürnberg

<http://www.fwr.ca>

ResearchGate: http://www.researchgate.net/profile/Gertrud_Nurnberg

ORCID: <http://orcid.org/0000-0003-1752-6562>



Nürnberg, G.K., Fischer R, Paterson A.M. 2018. Reduced phosphorus retention by anoxic bottom sediments after the remediation of an industrial acidified lake area: Indications from P, Al, and Fe sediment fractions. *Science of the Total Environment* 626: 412–422.

Nürnberg, G.K. 2017. Attempted management of cyanobacteria by Phoslock (lanthanum-modified clay) in Canadian lakes, water quality results and predictions. *Lake and Reservoir Management* 33, 163-170.

Nürnberg, G.K., LaZerte, B.D. 2016. Trophic state decrease after lanthanum-modified bentonite (Phoslock) application to a hyper-eutrophic polymictic urban lake frequented by Canada geese (*Branta canadensis*). *Lake and Reservoir Management* 32, 74-88. DOI: 10.1080/10402381.2015.1133739

Nürnberg, G.K., LaZerte, B.D. 2016. More than 20 years of estimated internal phosphorus loading in polymictic, eutrophic Lake Winnipeg, Manitoba. *J. Great Lakes Res.* 42, 18-27. DOI:10.1016/j.jglr.2015.11.003

Spears, B.M., Mackay, E.B., Yasseri, S., Gunn, I.D.M., Waters, K.E., Andrews, C., Cole, S., de Ville, M., Kelly, A., Meis, S., Moore, A.L., Nürnberg, G.K., van Oosterhout, F., Pitt, J.-A., Madgwick, G., Woods, H.J., Lürling, M. 2016. A meta-analysis of water quality and aquatic macrophyte responses in 18 lakes treated with lanthanum modified bentonite (PHOSLOCK®). *Water Research*. DOI: 10.1016/j.watres.2015.08.020

Nürnberg, G.K., Molot, L.A., O'Connor, E., Jarjanazi, H., Winter, J.G., Young, J.D., 2013. Evidence for internal phosphorus loading, hypoxia and effects on phytoplankton in partially polymictic Lake Simcoe, Ontario. *J Great Lakes Res* 39, 259–270.

Nürnberg, G.K., LaZerte, B.D., Loh, P.S., Molot, L.A., 2013. Quantification of internal phosphorus load in large, partially polymictic and mesotrophic Lake Simcoe, Ontario. *J Great Lakes Res* 39, 271–279.

Loh, P.S., Molot, L.A., Nürnberg, G.K., Watson, S.B., Ginn, B., 2013. Evaluating relationships between sediment chemistry and anoxic phosphorus and iron release across three different water bodies. *Inland Waters* 3, 105-117.

Nürnberg, G.K., Tarvainen, M., Ventelä, A.-M., Sarvala, J., 2012. Internal phosphorus load estimation during biomanipulation in a large polymictic and mesotrophic lake. *Inland Waters* 2, 147-162.

Labrecque V, Nürnberg G.K., Tremblay R, Pienitz R. 2012. Caractérisation de la charge interne de phosphore du lac Nairne, Charlevoix, Québec (*in French*. Internal phosphorus load assessment of Lake Nairne, Charlevoix, Quebec). *Revue des Sciences de l'Eau*: 25, 77-93.

Nürnberg, G.K. 2009. Assessing internal phosphorus load – problems to be solved. *Lake and Reservoir Management* 25(4): 419-432.

Conley, D. J., S. Björck, E. Bonsdorff, J. Carstensen, G. Destouni, B. G. Gustafsson, S. Hietanen, M. Kortekaas, H. Kuosa, H. E. M. Meier, B. Müller-Karulis, K. Nordberg, A. Norkko, G. Nürnberg, H. Pitkänen, N. N. Rabalais, R. Rosenberg, O. P. Savchuk, C. P. Slomp, M. Voss, F. Wulff and L. Zillén. 2009. Critical Review: Hypoxia-related processes in the Baltic Sea. *Environmental Science & Technology* 43: 3412-3420.

Cyr, H., S. K. McCabe and G. K. Nürnberg. 2009. Phosphorus sorption experiments and the potential for internal phosphorus loading in littoral areas of a stratified lake. *Water Research* 43:1654-1666.

Nürnberg, G.K. 2007. Low-Nitrate-Days (LND), a potential indicator of cyanobacteria blooms in a eutrophic hardwater reservoir. *Water Quality Research Journal of Canada* 42(4): 269-283.

Nürnberg, G.K. 2007. Lake responses to long-term hypolimnetic withdrawal treatments. *Lake and Reservoir Management* 23(4): 388-409.

Nürnberg, G.K. 2007. Internal phosphorus loading in Ontario Cottage Country *or* "the devil is in the sediments". *Canadian Society of Environmental Biologists, Newsletter* 64(4), 11-12.

Nürnberg, G.K. 2005. Quantification of internal phosphorus loading in polymictic lakes. *Verhandlungen Internationalen Vereinigung Limnologie (SIL)* 29: 623-626.

Cyr, H. and G.K. Nürnberg. 2005. Methodological biases in phosphate sorption experiments. p. 55-66 *in* L. Serrano and H.L. Golterman (editors), *Phosphates in Sediments, Proceedings of the 4th International Symposium*. Backhuys Publishers, the Netherlands.

Nürnberg, G.K. 2005. Quantification of anoxia and hypoxia in water bodies. OC 128 *in* J. H. Lehr (editor), *The Encyclopedia of Water*, John Wiley & Sons, Inc.

Havens K. E. and G. K. Nürnberg. 2004. The phosphorus-chlorophyll relationship in lakes: potential influences of color and mixing regime. *Lake and Reservoir Management* 20: 188-196.

Nürnberg, G.K. 2004. Quantified hypoxia and anoxia in lakes and reservoirs. *TheScientificWorldJOURNAL* 4, 42-54.

Nürnberg, G.K. and B.D. LaZerte. 2004. Modeling the effect of development on internal phosphorus load in nutrient-poor lakes. *Water Resources Research* 40(1): 1-9.

Nürnberg, G.K. and B.D. LaZerte. 2003/4. Ontario lakes: The importance of lake management. *NALMS LakeLine* 23(4): 32-37.

Nürnberg, G.K., B.D. LaZerte and D.D. Olding. 2003. An artificially induced *Planktothrix rubescens* surface bloom in a small kettle lake in southern Ontario compared to blooms world-wide. *Lake and Reservoir Management* 19: 307-322.

Nürnberg, G. K. 2002. Quantification of oxygen depletion in lakes and reservoirs with the hypoxic factor. *Lake and Reservoir Management* 18: 298-305.

Nürnberg, G.K. 2002. Probability of winterkill in Central Ontario lakes. *Newsletter of the American Fisheries Society Southern Ontario Chapter*, Sep 2002: 2-3.

Nürnberg, G. K. and B. D. LaZerte. 2001. Predicting lake water quality. *In: Managing lakes and reservoirs*. C. Holdren, W. Jones and J. Taggart. Madison, WI, North American Lake Management Society, Terrene Institute in cooperation with Office Water Assessment Watershed Protection Division U.S.-EPA, p. 139-163.

Nürnberg, G.K. 2001. Eutrophication and Trophic State - Why does lake water (quality) differ from lake to lake? *NALMS LakeLine* 21 (1): 29-33.

Nürnberg, G.K. 1999. Determining trophic state in experimental lakes (Comment to Carpenter et al. 1998) *Limnology and Oceanography* 44: 1176-1179.

Nürnberg, G.K. and M. Shaw. 1999. Productivity of clear and humic lakes: nutrients, phytoplankton, bacteria. *Hydrobiologia* 382: 97-112.

Nürnberg, G.K. 1998. Prediction of annual and seasonal phosphorus concentrations in stratified and polymictic lakes. *Limnology and Oceanography* 43: 1544-1552.

Nürnberg, G.K. 1997. Coping with water quality problems due to hypolimnetic anoxia in Central Ontario Lakes. *Water Quality Research Journal of Canada* 32: 391-405.

Nürnberg, G.K. 1996. Trophic state of clear and colored, soft- and hardwater lakes with special consideration of nutrients, anoxia, phytoplankton and fish. *Lake and Reservoir Management* 12: 432-447.

Nürnberg, G.K. 1996. Comment: Phosphorus budgets and stoichiometry during the open-water season in two unmanipulated lakes in the Experimental Lakes Area, northwestern Ontario. *Canadian J. Fisheries Aquatic Science* 53: 1469-1471.

Nürnberg, G.K. 1995. Quantifying anoxia in lakes. *Limnology and Oceanography* 40: 1100-1111.

Nürnberg, G.K. 1995. Anoxic factor, a quantitative measure of anoxia and fish species richness in Central Ontario lakes. *Transactions of the American Fisheries Society* 124: 677-686.

Nürnberg, G.K. 1994. Phosphorus release from anoxic sediments: What we know and how we can deal with it. *Limnetica* 10: 1-4.

Nürnberg, G.K. and P. J. Dillon. 1993. Iron budgets in temperate lakes. *Canadian J. Fisheries Aquatic Science* 50: 1728-1737.

Nürnberg, G.K. 1991. Phosphorus from internal sources in the Laurentian Great Lakes, and the concept of threshold external load. *J. Great Lakes Research* 17: 132-140.

Nürnberg, G.K. and P. G. Manning. 1991. Upwards migration of iron and phosphorus compounds in anoxic sediments from a mesotrophic lake on the Precambrian Shield. Ontario Ministry of the Environment, PIBS 1756. 24 p.

Nürnberg, G.K. 1988. Prediction of phosphorus release rates from total and reductant-soluble phosphorus in anoxic lake sediments. *Canadian J. Fisheries Aquatic Science* 45: 453-462.

Nürnberg, G.K. 1988. A simple model for predicting the date of fall turnover in thermally stratified lakes. *Limnology and Oceanography* 33: 1190-1195.

Nürnberg, G.K. 1987. A comparison of internal phosphorus loads in lakes with anoxic hypolimnia: laboratory incubations versus hypolimnetic phosphorus accumulation. *Limnology and Oceanography* 32: 1160-1164.

Nürnberg, G.K. 1987. Hypolimnetic withdrawal as a lake restoration technique. *American Society of Civil Engineers, J. Environmental Engineering Division* 113: 1006-1017.

Nürnberg, G.K., R. Hartley, and E. Davis. 1987. Hypolimnetic withdrawal in two North American lakes with anoxic phosphorus release from the sediment. *Water Research* 21: 923-928.

Nürnberg, G.K., M. Shaw, P. J. Dillon, and D. J. McQueen. 1986. Internal phosphorus load in an oligotrophic Precambrian Shield lake with an anoxic hypolimnion. *Canadian J. Fisheries Aquatic Science* 43: 574-580.

Nürnberg, G.K. 1985. Availability of phosphorus upwelling from iron-rich anoxic hypolimnia. *Archive Hydrobiologia* 104: 459-476.

Nürnberg, G.K. 1984. The prediction of internal phosphorus load in lakes with anoxic hypolimnia. *Limnology and Oceanography* 29: 111-124.

Nürnberg, G.K. 1984. Iron and hydrogen sulfide interference in the analysis of SRP in anoxic waters. *Water Research* 18: 369-377.

Nürnberg, G.K. and R. H. Peters. 1984. Biological availability of soluble reactive phosphorus in anoxic and oxic freshwaters. *Canadian J. Fisheries Aquatic Science* 41: 757-765.

Nürnberg, G.K. and R. H. Peters. 1984. The importance of internal phosphorus load to the eutrophication of lakes with anoxic hypolimnia. *Verhandlungen Internationalen Vereinigung Limnologie (SIL)* 22: 190-194.